

LOUVRE WINDOW



NSW SG SERIES

Louvre windows offer excellent ventilation within the home, especially in warmer climates. Your Rylock Sales Consultant will be able to assist in choosing the most appropriate louvre system for your specific building project.



Mitred corners enhance the clean aesthetic. All frame fixings are made from durable stainless steel.



Optional fly screens fit to the external face, & feature a specially developed retention system which greatly simplifies fitting & removal. Security screens are also available as an option.

Louvre blades operate from the inside, which means the optional fly screens do not obstruct when using the handle(s).




Manual & motor driven units are both able to be built into the outer frame.

An inline reveal simplifies installation into a variety of wall types. NSW SG Series aluminium frames are available in a selection of colours, carefully chosen from the most popular architectural tones.

LOUVRE WINDOW

NSW SG SERIES



NOTE: ALL SIZES ARE TYPICAL RATHER THAN DEFINITIVE. FOR SIZES OUTSIDE THESE - INCLUDING MULTIPLE, COUPLED UNITS - PLEASE DISCUSS WITH YOUR RYLOCK SALES CONSULTANT

Sizing

Window style & opening detail should be considered as viewed externally.
Sizes indicated are the overall window size. Reveal is inline with outer frame dimension.
For Stud openings add 20mm to both height & width.

Louvres

Glass, aluminium or timber blades.

Certification

Certified performance data is available for this product on request.

Specify

Frame colour, height, width & overall depth.
Optional: louvre type (operation), blade type, key lock, glass type, fly screen, security screen, sill flap.

The above product sizes comply with structural requirements (AS2047-2014, *Windows and external glazed doors in buildings*) for an 'N1' wind rating (AS4055-2012, *Wind loads for housing*).

This is typical of sites in suburban areas. In addition, the location has a Terrain Category of 3, is Topographic Class 1 or 2 and assumes the building will be surrounded by others of similar size.

Please specify if your site has different characteristics to any of those listed. Your building professional (architect, designer, surveyor, engineer, builder, etc.) can often assist with such determinations.